BAKER HUGHES

56-ARM CALIPER LOG

Company SOUTHERN CALIFORNIA GAS COMPANY
Well PORTER 72A
Field ALISO CANYON
County LOS ANGELES
State CALIFORNIA

Company SOUTHERN CALIFORNIA GAS COMPANY

Well PORTER 72A

Field ALISO CANYON

County LOS ANGELES **State** CALIFORNIA

Location: API # :

SEC 27 TWP 3N RGE 16W

Other Services
HRVRT

Permanent Datum	GL	Elevation	1909'
Log Measured From	KB 23.5' ABOVE PD		
Drilling Measured From	KB		

Elevation
K.B. 1932.5'
D.F. 1931.5'
G.L. 1909.0'

Date	19-MAY-2016		
Run Number	1		
Depth Driller	6800'		
Depth Logger	6799.5'		
Bottom Logged Interval	6794'		
Top Log Interval	0'		
Open Hole Size			
Type Fluid	WATER		
Density / Viscosity	9.3 LB/ GAL		
Max. Recorded Temp.	157 DEGF		
Estimated Cement Top	N/A		
Time Well Ready	0600		
Time Logger on Bottom	0815		
Equipment Number	4243		
Location	SHAFTER, CA.		
Recorded By	J. STEPHENS		
Witnessed By	MR. MCMAHON		

Borehole Record				Casing Record			
Run Number	Bit	From	To	Size	Weight	From	To
				13.375"	54.5#	0	814'
				9.625"	47#	0	6899'
				5.5"	17#	0	7170'

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

DEPTH CORRELATED TO GR/N/CCL LOG DATED 18-MAY-2016.

Database File c:\users\waakjan\desktop\incoming\hcal_socal_porter_72a\project\processing\main_proc.db
Dataset Pathname stat
Presentation Format 56f_hw
Dataset Creation Mon May 23 11:27:17 2016
Charted by Depth in Feet scaled 1:240

8.181	Maximum - ID (in)	9.181	PTANN	4.0905	56 FINGER TRACE (in)	7.1905
8.181	Average - ID (in)	9.181				
8.181	Minimum - ID (in)	9.181				
8.181	Nominal - ID (in)	9.181				

Note: 1" scale for amplification




<Joint> 235.5, Len=40.1 ft
250
Joint 7
<Joint> 275.4, Len=39.9 ft
Joint 8
300
<Joint> 315.4, Len=40.0 ft
Joint 9
350
<Joint> 355.4, Len=40.0 ft
Joint 10
<Joint> 398.5, Len=43.1 ft
400
Joint 11


<Joint> 438.6, Len=40.1 ft
450
Joint 12
<Joint> 482.6, Len=44.0 ft
500
Joint 13
<Joint> 527.2, Len=44.6 ft
550
Joint 14
<Joint> 570.6, Len=43.3 ft
Joint 15
600
<Joint> 616.3, Len=45.7 ft
Joint 16
650


<Joint> 661.7, Len=45.4 ft
Joint 17
700
<Joint> 704.7, Len=43.0 ft
Joint 18
750
<Joint> 749.1, Len=44.4 ft
Joint 19
<Joint> 793.4, Len=44.2 ft
800
Joint 20
<Joint> 839.8, Len=46.5 ft
850
Joint 21


<Joint> 885.5, Len=45.7 ft
900
Joint 22
<Joint> 930.6, Len=45.1 ft
950
Joint 23
<Joint> 973.4, Len=42.8 ft
Joint 24
1000
<Joint> 1017.5, Len=44.1 ft
Joint 25
1050
<Joint> 1062.1, Len=44.6 ft
Joint 26


1100
<Joint> 1108.4, Len=46.2 ft
Joint 27
1150
<Joint> 1153.9, Len=45.6 ft
Joint 28
<Joint> 1197.0, Len=43.1 ft
1200
Joint 29
<Joint> 1240.6, Len=43.6 ft
1250
Joint 30
<Joint> 1283.8, Len=43.2 ft
1300
Joint 31


<Joint> 1327.8, Len=44.0 ft
Joint 32
1350
<Joint> 1367.7, Len=39.9 ft
Joint 33
1400
<Joint> 1407.7, Len=39.9 ft
Joint 34
1450
<Joint> 1451.8, Len=44.2 ft
Joint 35
<Joint> 1494.8, Len=43.0 ft
1500
Joint 36
<Joint> 1534.9, Len=40.1 ft


1550
Joint 37
<Joint> 1574.8, Len=39.9 ft
1600
Joint 38
<Joint> 1621.2, Len=46.4 ft
1650
Joint 39
<Joint> 1664.5, Len=43.2 ft
1700
Joint 40
<Joint> 1709.6, Len=45.2 ft
Joint 41
1750
<Joint> 1749.9, Len=40.2 ft


Joint 42
<Joint> 1789.9, Len=40.0 ft
1800
Joint 43
<Joint> 1829.9, Len=40.0 ft
1850
Joint 44
<Joint> 1869.9, Len=40.1 ft
Joint 45
1900
<Joint> 1914.2, Len=44.3 ft
Joint 46
1950
<Joint> 1957.8, Len=43.6 ft


Joint 47
2000
<Joint> 2001.1, Len=43.3 ft
Joint 48
<Joint> 2044.6, Len=43.5 ft
2050
Joint 49
<Joint> 2089.2, Len=44.6 ft
2100
Joint 50
<Joint> 2133.2, Len=44.0 ft
2150
Joint 51
<Joint> 2177.9, Len=44.6 ft


2200
Joint 52
<Joint> 2223.1, Len=45.3 ft
Joint 53
2250
<Joint> 2268.1, Len=44.9 ft
Joint 54
2300
<Joint> 2311.3, Len=43.3 ft
Joint 55
2350
<Joint> 2356.5, Len=45.1 ft
Joint 56
2400
<Joint> 2401.1, Len=44.6 ft


Joint 57
<Joint> 2446.9, Len=45.9 ft
2450
Joint 58
<Joint> 2493.2, Len=46.3 ft
2500
Joint 59
<Joint> 2528.6, Len=35.3 ft
2550
Joint 60
<Joint> 2569.5, Len=41.0 ft
Joint 61
2600
<Joint> 2611.2, Len=41.7 ft
Joint 62


2650
<Joint> 2650.7, Len=39.5 ft
Joint 63
<Joint> 2695.2, Len=44.5 ft
2700
Joint 64
<Joint> 2735.2, Len=39.9 ft
2750
Joint 65
<Joint> 2780.2, Len=45.1 ft
2800
Joint 66
<Joint> 2824.9, Len=44.7 ft
Joint 67
2850


<Joint> 2864.7, Len=39.9 ft
Joint 68
2900
<Joint> 2904.8, Len=40.0 ft
Joint 69
<Joint> 2944.7, Len=39.9 ft
2950
Joint 70
<Joint> 2987.8, Len=43.1 ft
Marker Joint
Joint 71
3000
<Joint> 3002.4, Len=14.6 ft
Joint 72
<Joint> 3047.6, Len=45.1 ft
3050
Joint 73


<Joint> 3092.0, Len=44.4 ft
3100
Joint 74
<Joint> 3135.8, Len=43.8 ft
3150
Joint 75
<Joint> 3180.6, Len=44.8 ft
3200
Joint 76
<Joint> 3224.1, Len=43.5 ft
Joint 77
3250
<Joint> 3267.9, Len=43.8 ft
Joint 78


3300
<Joint> 3309.8, Len=41.9 ft
Joint 79
3350
<Joint> 3353.6, Len=43.8 ft
Joint 80
<Joint> 3393.5, Len=39.9 ft
3400
Joint 81
<Joint> 3437.3, Len=43.8 ft
3450
Joint 82
<Joint> 3479.1, Len=41.8 ft
3500
Joint 83


<Joint> 3519.5, Len=40.4 ft
Joint 84
3550
<Joint> 3565.4, Len=45.9 ft
Joint 85
3600
<Joint> 3608.7, Len=43.3 ft
Joint 86
3650
<Joint> 3652.4, Len=43.7 ft
Joint 87
<Joint> 3692.5, Len=40.1 ft
3700
Joint 88
<Joint> 3732.4, Len=39.9 ft


3750
Joint 89
<Joint> 3774.4, Len=41.9 ft
3800
Joint 90
<Joint> 3819.1, Len=44.7 ft
3850
Joint 91
<Joint> 3861.4, Len=42.3 ft
3900
Joint 92
<Joint> 3904.8, Len=43.5 ft
Joint 93
<Joint> 3947.7, Len=42.8 ft
3950


Joint 94
<Joint> 3992.9, Len=45.3 ft
4000
Joint 95
<Joint> 4037.5, Len=44.6 ft
4050
Joint 96
<Joint> 4077.5, Len=40.0 ft
Joint 97
4100
<Joint> 4117.2, Len=39.7 ft
Joint 98
4150
<Joint> 4153.6, Len=36.4 ft


Joint 99
4200
<Joint> 4199.5, Len=46.0 ft
Joint 100
<Joint> 4243.1, Len=43.6 ft
4250
Joint 101
<Joint> 4288.5, Len=45.3 ft
4300
Joint 102
<Joint> 4331.9, Len=43.4 ft
4350
Joint 103
<Joint> 4372.2, Len=40.3 ft
Joint 104


4400
<Joint> 4412.3, Len=40.1 ft
Joint 105
4450
<Joint> 4452.3, Len=40.0 ft
Joint 106
<Joint> 4495.5, Len=43.3 ft
4500
Joint 107
<Joint> 4535.5, Len=40.0 ft
4550
Joint 108
<Joint> 4579.4, Len=43.9 ft
4600
Joint 109


<Joint> 4619.7, Len=40.4 ft
Joint 110
4650
<Joint> 4659.7, Len=39.9 ft
Joint 111
4700
<Joint> 4699.4, Len=39.7 ft
Joint 112
<Joint> 4739.5, Len=40.2 ft
4750
Joint 113
<Joint> 4779.4, Len=39.9 ft
4800
Joint 114
<Joint> 4823.7, Len=44.3 ft


4850
Joint 115
<Joint> 4868.2, Len=44.5 ft
Joint 116
4900
<Joint> 4913.0, Len=44.8 ft
Joint 117
4950
<Joint> 4958.4, Len=45.4 ft
Joint 118
5000
<Joint> 5003.1, Len=44.7 ft
Joint 119
<Joint> 5048.0, Len=44.8 ft
5050


Joint 120
<Joint> 5093.8, Len=45.9 ft
5100
Joint 121
<Joint> 5136.3, Len=42.5 ft
5150
Joint 122
<Joint> 5179.5, Len=43.2 ft
5200
Joint 123
<Joint> 5221.1, Len=41.6 ft
Joint 124
5250
<Joint> 5265.5, Len=44.4 ft


Joint 125
5300
<Joint> 5308.2, Len=42.7 ft
Joint 126
5350
<Joint> 5352.0, Len=43.8 ft
Joint 127
<Joint> 5397.8, Len=45.8 ft
5400
Joint 128
<Joint> 5441.0, Len=43.2 ft
5450
Joint 129
<Joint> 5484.3, Len=43.3 ft


5500
Joint 130
<Joint> 5527.8, Len=43.5 ft
5550
Joint 131
<Joint> 5573.2, Len=45.4 ft
5600
Joint 132
<Joint> 5619.5, Len=46.3 ft
5650
Joint 133
<Joint> 5663.1, Len=43.5 ft
Joint 134
5700
<Joint> 5708.2, Len=45.1 ft


Joint 135
5750
<Joint> 5752.6, Len=44.4 ft
Joint 136
<Joint> 5798.0, Len=45.4 ft
5800
Joint 137
<Joint> 5841.9, Len=43.9 ft
5850
Joint 138
Deformation/Ovality
<Joint> 5886.2, Len=44.2 ft
5900
Joint 139
<Joint> 5926.5, Len=40.4 ft


5950
Joint 140
<Joint> 5970.6, Len=44.1 ft
6000
Joint 141
<Joint> 6014.9, Len=44.3 ft
6050
Joint 142
<Joint> 6060.3, Len=45.4 ft
6100
Joint 143
<Joint> 6103.7, Len=43.4 ft
Joint 144
<Joint> 6144.4, Len=40.6 ft
6150


Joint 145
<Joint> 6184.9, Len=40.6 ft
6200
Joint 146
Deformation/Ovality
<Joint> 6226.7, Len=41.8 ft
6250
Joint 147
<Joint> 6269.7, Len=43.1 ft
Joint 148
6300
<Joint> 6313.6, Len=43.9 ft
Joint 149
6350
<Joint> 6354.4, Len=40.8 ft
Joint 150


<Joint> 6395.2, Len=40.8 ft
6400
Joint 151
<Joint> 6435.0, Len=39.9 ft
6450
Joint 152
<Joint> 6479.0, Len=43.9 ft
6500
Joint 153
<Joint> 6522.2, Len=43.2 ft
Joint 154
6550
<Joint> 6566.0, Len=43.8 ft
Joint 155



8.181	Maximum - ID (in)	9.181	PTANN	4.0905	56 FINGER TRACE (in)	7.1905
8.181	Average - ID (in)	9.181				
8.181	Minimum - ID (in)	9.181				
8.181	Nominal - ID (in)	9.181