

Inrun Survey
THUMS

Well number : C-239

Date : 24-OCT-93

Measured Depth	Vertical Depth	Vert. Section	Inc Deg	Azimuth Deg-Min	Coordinates		D-leg /100ft
					Latitude	Departure	
0.0	0.00	0.0	0.00	N00-00E	0.00	0.00	0.00
91.2	91.20	0.2	0.43	N83-21E	0.04	0.34	0.47
180.6	180.59	1.3	1.25	S72-20E	-0.22	1.60	0.98
210.6	210.58	1.9	1.60	S72-43E	-0.44	2.31	1.17
240.3	240.26	2.8	2.46	S71-57E	-0.76	3.32	2.90
270.2	270.12	4.2	3.25	S65-43E	-1.31	4.70	2.83
300.3	300.16	5.9	4.06	S70-40E	-2.01	6.48	2.89
330.1	329.86	8.1	5.45	S70-05E	-2.84	8.81	4.67
359.8	359.40	10.8	6.38	S72-41E	-3.82	11.71	3.26
389.7	389.08	13.9	7.48	S73-05E	-4.88	15.16	3.68
419.5	418.58	17.7	8.89	S66-50E	-6.35	19.13	5.59
449.5	448.17	22.3	10.12	S64-44E	-8.38	23.65	4.26
479.2	477.35	27.4	11.29	S61-44E	-10.87	28.57	4.36
509.0	506.50	33.4	12.64	S58-03E	-13.98	33.90	5.20
539.0	535.69	40.1	14.00	S54-53E	-17.80	39.66	5.14
568.9	564.61	47.6	15.49	S52-40E	-22.31	45.79	5.33
598.7	593.20	55.8	17.23	S51-21E	-27.48	52.40	5.97
628.4	621.43	65.0	18.92	S50-10E	-33.31	59.53	5.82
658.4	649.67	75.0	20.50	S49-50E	-39.81	67.28	5.28
688.3	677.57	85.7	21.66	S49-47E	-46.75	75.50	3.88
718.1	705.18	96.8	22.57	S49-57E	-53.98	84.08	3.06
747.9	732.63	108.4	23.28	S50-30E	-61.41	93.00	2.49
777.9	760.09	120.3	24.15	S50-55E	-69.05	102.34	2.95
807.6	787.09	132.6	25.09	S51-18E	-76.82	111.97	3.21
837.4	813.94	145.4	26.38	S51-48E	-84.86	122.10	4.39
867.5	840.79	158.8	27.35	S51-41E	-93.28	132.78	3.23
897.5	867.33	172.6	28.20	S51-29E	-101.97	143.74	2.85
927.0	893.24	186.6	28.91	S51-16E	-110.77	154.75	2.44
956.8	919.19	201.1	29.97	S52-03E	-119.86	166.24	3.79
986.8	944.98	216.2	31.47	S52-54E	-129.19	178.40	5.21
1016.7	970.25	231.9	33.19	S53-16E	-138.79	191.18	5.79
1046.5	994.99	248.3	34.53	S53-02E	-148.75	204.47	4.52
1076.2	1019.33	265.0	35.44	S52-47E	-159.02	218.05	3.10
1106.2	1043.62	282.4	36.41	S52-44E	-169.67	232.06	3.23
1136.0	1067.49	300.0	37.10	S52-43E	-180.47	246.25	2.32
1166.0	1091.28	318.0	37.97	S52-49E	-191.53	260.81	2.91
1195.8	1114.65	336.2	38.78	S52-31E	-202.75	275.51	2.79
1225.7	1137.77	354.9	39.88	S52-19E	-214.31	290.53	3.70
1255.5	1160.45	374.0	41.03	S52-08E	-226.15	305.81	3.88
1285.6	1182.99	393.7	41.96	S52-01E	-238.41	321.54	3.10
1315.2	1204.89	413.4	42.63	S52-04E	-250.66	337.25	2.27
1345.1	1226.89	433.4	42.60	S52-01E	-263.12	353.21	0.17
1374.9	1248.80	453.3	42.79	S51-46E	-275.59	369.11	0.86